

Borough of Spring Lake

Tree Removal Permit

Date: _____

Block: _____

Lot: _____

Tree Removal Fee: \$50.00

Check: _____

Cash: _____

Location: _____

Right of Way Fee: \$25.00

Check: _____

Cash: _____

New Construction (Principal Building): _____ Vacant Lot: _____

Applicant/Owner: _____ Tel. #: _____

Address: _____

Contractor: _____

Address: _____

Trees to be removed #: _____ Species: _____ Caliper: _____

Purpose of removing tree(s): _____

Tree Replacement Plan (Section 356-17) – Rec'd: _____ Date: _____

Applicant Signature: _____ Date: _____

Code Enforcement Officer: _____ Date: _____

Tree Replacement Plan: Shall consist of the following

- Site plan, survey or plot plan (1"=20') showing location, number, caliper (4" or greater) and species of existing trees to be removed.

Replacement requirements: Caliper (diameter) measured @ 54" above ground

Tree(s) removed in inches DP		No. of replacement trees: (min. 2 ½ in DP)
4" > 8" diameter	-	1 Tree
8" > 12" diameter	-	2 Trees
12" > 18" diameter	-	3 Trees
Over 18"	-	4 Trees

Replacement Fund: In lieu of planting replacement trees:

Tree(s) removed in inches DP		Replacement tree value
4" > 8" diameter	-	\$200.00
8" > 12" diameter	-	\$400.00
Over 12"	-	\$600.00

Note: In the event a tree(s) were removed from a site without a permit and without prior approval, the number of trees requiring mitigation shall be computed by assuming that 10 trees with a caliper of 12" or more were removed unless adequate proof is approved by the Code Enforcement Officer.

Recommended deciduous street trees: Sycamore, Willow Oak, Red Maple (not Japanese or swamp variety), Green Spire Littleleaf Linden, Pear Trees (Red Spire & Aristocrat) and Red Oak.

Right of Way: That area between the sidewalk and the curbing along the street cartways.